

10/049816

MI

PATENT

(3e)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Certificate

FEB 2'5 2011

Issue Date:

7,344,655

March 18, 2008

of Correction

Inventor(s):

Mikito NISHII; Masamine TANIKAWA; Hisanori WATANABE; Yoshihisa

KUROKAWA; Satoshi SUGIYAMA; Kazuhito YAEDA

Title:

COOLANT, METHOD OF ENCLOSING COOLANT, AND COOLING

SYSTEM

Docket No.:

111970

REQUEST FOR CERTIFICATE OF CORRECTION UNDER RULE 323

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

02/24/2011 LNGUYEN1 00000060 7344655 01 FC:1811 100.00 OP

Sir:

It is respectfully requested that a Certificate of Correction be issued in order to correct the error(s) specified in the attached copy of Certificate of Correction Form PTO-1050. Figure 2 is amended to correct a typographical error. Specifically, Figure 2 is amended to recite the electric conductivity of Example 1 as 290 μ S/cm instead of the previously corrected value of 29.0 μ S/cm. Support for the amendment may be found at Figure 2 as originally filed.

Our Check No. <u>235648</u> in the amount of One Hundred Dollars (\$100.00) is attached in accordance with the provisions of 37 C.F.R. §1.323 and §1.20(a). In the event of any underpayment or overpayment, please debit or credit Deposit Account No. 15-0461 as needed in order to ensure prompt issuance of a Certificate of Correction.

Respectfully submitted,

Registration No. 27,07

Joel S. Armstrong Registration No. 36,430

JAO:JSA

Date: February 23, 2011

OLIFF & BERRIDGE, PLC P.O. Box 320850 Alexandria, Virginia 22320-4850 Telephone: (703) 836-6400 DEPOSIT ACCOUNT USE
AUTHORIZATION
Please grant any extension
necessary for entry;
Charge any fee due to our
Deposit Account No. 15-0461

Under the Paperwork Reduction Action of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO

7,344,655

Page 1 of 2

DATED

March 18, 2008

INVENTOR(S)

Mikito NISHII et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The drawing consisting of Figure 2, should be deleted to appear as per attached Figure 2.

MAILING ADDRESS OF SENDER: OLIFF & BERRIDGE, PLC

P.O. Box 320850

Alexandria, Virginia 22320-4850 Telephone: (703) 836-6400

PATENT NO.

7,344,655

No. of additional copies

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comment on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Mar. 18, 2008 Sheet 2 of 6

US 7,344,655 B1

	L								Ĭ	Somparative	Comparative	Comparative	Comparative Comparative Comparative Comparative Comparative Comparative	Comparative	Comparative
	Ex. 1	Ex. 2	Ex. 3	Ex. 4	Ex. 5	Ex. 6	Ex. 1 Ex. 2 Ex. 3 Ex. 4 Ex. 5 Ex. 6 Ex. 7 Ex. 8 Ex. 9	Ex. 8	Ex. 9	Ex. 1	Ex. 2	Ex. 3	Ex. 4	Ex. 5	Ex. 6
Electric conductivity (μ S/cm) 290	290	5.0	2.1	5.3	3.6	3.5	5.0	3.2	4.4	5950	3.5	1.6	1.8	286	0.88
Metal corrosion resistance Air	0.01	0.04	0.04	-0.05	-0.02 -0.02 -0.03	-0.03	00.0	ı	I	-0.02	-0.12	-0.12	ı	-0.52	0.10
AI(mg/cm²)		-0.01 -0.04 0.15	0.15	10.0	-0.02 -0.01 -0.02	-0.01	-0.02	1	ı	-0.03	-0.10	60:0-	1	-0.43	0.10
Metal corrosion resistance N ₂	00.0	-	0.04	1	I	ı	ı	ı	ı	J	ı	0.02	ı	ı	ı
Al(mg/cm²)	-0.01	ı	0.05	ı	1	1	ı	ı	ı	I	1	0.04	ı	J	ı
Passivation current density N_2 (μ A/cm ²)	4.8	Ξ	2.4	(2)	(15) (16)	(16)	(16)	(09)	(80)	3.0	(100)	(100)	(100)	9/	1
Passivation current density Air $(\mu A/cm^2)$	2.4	12	2.4	l	ı	ı	l	1	ı	3.0	2.0	1.3	ı	210	t
Freezing point (°C)	-35	-35	-35	-35	-35	-35	-35	-35	-35	-35	-35	-35	ì	0	0